

DOOR HANDLES

AXIS PULL HANDLE - BRUSHED STAINLESS STEEL

Architectural quality, tubular stainless steel 304.
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 40 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSRLK60 (supplied separately see page 32)
 Sizes: 600mm (400mm C/C) and 450mm (250mm C/C).

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
629SS450 (PAIR)	PULL HANDLES (450MM) S/STEEL	1	EA	1
629PS450 (PAIR)	PULL HANDLES (450MM) P/STEEL	1	EA	1
629SS600 (PAIR)	PULL HANDLES (600MM) S/STEEL	1	EA	1



AXIS PULL HANDLE - BRUSHED STAINLESS STEEL

Architectural quality, tubular stainless steel 304.
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 40 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSRLK60 (supplied separately see page 32)
 Sizes: 600mm (400mm C/C) and 450mm (250mm C/C).


PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
628SS450 (SINGLE)	PULL HANDLE (450MM) S/STEEL	1	EA	1
628PS450 (SINGLE)	PULL HANDLE (450MM) P/STEEL	1	EA	1
628SS600 (SINGLE)	PULL HANDLE (600MM) S/STEEL	1	EA	1



ASSO PULL HANDLE - BRUSHED STAINLESS STEEL

Architectural quality, tubular stainless steel 304.
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 40 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSRLK60 (supplied separately see page 32)
 Size: 610mm (286mm C/C)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
750SS610 (PAIR)	PULL HANDLES (610MM) S/STEEL	1	EA	1



BALMORAL PULL HANDLE - SOLID STAINLESS STEEL

Architectural quality, solid stainless steel 304.
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 38 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSSLK60 (supplied separately see page 32)
 Size: 347mm (250mm C/C)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
753SS (PAIR)	PULL HANDLES (347MM) S/STEEL	1	EA	1



DOOR HANDLES

QUAD PULL HANDLE - BRUSHED STAINLESS STEEL

Architectural quality, tubular stainless steel 304.
 Suitable for timber, glass and aluminium doors.
 Through door fixing. Fixings supplied. Door thickness 40 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSSLK60 (supplied separately see page 32)
 Sizes: 600mm (562mm C/C) 38mm tube.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
755SS (PAIR)	PULL HANDLES (600MM) S/STEEL	1	EA	1



CEE PULL HANDLE - BRUSHED STAINLESS STEEL

Architectural quality, tubular stainless steel 304.
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 40 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSRLK60 (supplied separately see page 32)
 Sizes: 500mm (433mm C/C) 32mm tube.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
756SS (PAIR)	PULL HANDLES (500MM) S/STEEL	1	EA	1



ARCO PULL HANDLE - BRUSHED STAINLESS STEEL

Architectural quality, tubular stainless steel 304.
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 40 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSRLK60 (supplied separately see page 32)
 Size: 610mm (578mm C/C) 32mm tube

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
757SS (PAIR)	PULL HANDLES (610MM) S/STEEL	1	EA	1



KOHI PULL HANDLE - BRUSHED STAINLESS STEEL

Architectural quality, tubular stainless steel 304.
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 38 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSRLK60 (supplied separately see page 32)
 Size: 640mm (610mm C/C) 32mm tube

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
758SS (PAIR)	PULL HANDLES (640MM) S/STEEL	1	EA	1



DOOR HANDLES

ORAKEI PULL HANDLE - BRUSHED STAINLESS STEEL

Architectural quality, tubular stainless steel 304.
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 40 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSRLK60 (supplied separately see page 32)
 Sizes: 600mm (570mm C/C) 32mm tube

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
759SS (PAIR)	PULL HANDLES (600MM) S/STEEL	1	EA	1



BOXTER PULL HANDLE - BRUSHED STAINLESS STEEL

Architectural quality, tubular stainless steel 304.
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 40 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSSLK60 (supplied separately see page 32)
 Sizes: 600mm (580mm C/C) and 1000mm (980mm C/C)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
760SS600 (PAIR)	PULL HANDLES (600MM) S/STEEL	1	EA	1
760SS1000 (PAIR)	PULL HANDLES (1000MM) S/STEEL	1	EA	1



NORWICH PULL HANDLE - BRUSHED STAINLESS STEEL

Architectural quality, solid stainless steel 304.
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 40 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSSLK60 (supplied separately see page 32)
 Size: 600mm (425mm C/C)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
762SS (PAIR)	PULL HANDLES (600MM) S/STEEL	1	EA	1



KENT PULL HANDLE - SOLID STAINLESS STEEL

Architectural quality, solid stainless steel 304.
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 38 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSSLK60 (supplied separately see page 32)
 Size: 308mm (247mm C/C)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
754SS (PAIR)	PULL HANDLES (310MM) S/STEEL	1	EA	1



DOOR HANDLES

EDEN PULL HANDLE - BRUSHED STAINLESS STEEL

Solid Cast.
 Suitable for Timber, Glass and Aluminium doors 40-52mm.
 Back to back fixing. Fixings supplied.
 Roses not included on back to back handles.
 Roses are included on single handles.
 250mm C/C. 52mm rose size. Door thickness 40 – 52mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
767SS (PAIR)	PULL HANDLES S/STEEL	1	EA	1
764SS (SINGLE)	PULL HANDLE S/STEEL	1	EA	1



EPSOM PULL HANDLE - BRUSHED STAINLESS STEEL

Solid Cast.
 Suitable for Timber, Glass and Aluminium doors.
 Back to back fixing. Fixings supplied.
 Roses not included on back to back handles.
 Roses are included on single handles.
 Sizes: 250mm C/C. 52mm rose size. Door thickness 40 – 52mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
768SS (PAIR)	PULL HANDLES S/STEEL	1	EA	1
765SS (SINGLE)	PULL HANDLE S/STEEL	1	EA	1



CURVO PULL HANDLE - BRUSHED STAINLESS STEEL

Solid Cast.
 Suitable for Timber, glass and Aluminium doors.
 Through door fixing. Fixings supplied.
 Door thickness 40 – 52mm.

Size: 210mm C/C

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
766SS (PAIR)	PULL HANDLES (210MM) S/STEEL	1	EA	1



SLIMLINE PULL HANDLE - BRUSHED STAINLESS STEEL

Offset handle design. Suitable for commercial applications
 19mm diameter solid Stainless Steel
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 38 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSSLK60 (supplied separately see page 32)
 Sizes: 300mm centre to centre, 420mm overall
 600mm centre to centre, 840mm overall

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
9811908SS (PAIR)	SLIMLINE PULL HANDLE (300MM)	1	EA	1
9811909SS (PAIR)	SLIMLINE PULL HANDLE (600MM)	1	EA	1



DOOR HANDLES

SLIMLINE PULL HANDLE - BRUSHED STAINLESS STEEL

Straight handle design. Suitable for commercial applications
 19mm diameter solid Stainless Steel
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied. Door thickness 38 – 52mm.
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSSLK60 (supplied separately see page 32)
 Sizes: 300mm centre to centre, 420mm overall
 600mm centre to centre, 840mm overall
 900mm centre to centre, 1260mm overall
 1200mm centre to centre, 1680mm overall

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
9811902SS (PAIR)	SLIMLINE PULL HANDLE (300MM)	1	EA	1
9811903SS (PAIR)	SLIMLINE PULL HANDLE (600MM)	1	EA	1
9811904SS (PAIR)	SLIMLINE PULL HANDLE (900MM)	1	EA	1
9811905SS (PAIR)	SLIMLINE PULL HANDLE (1200MM)	1	EA	1



OFFSET D HANDLE - BRUSHED STAINLESS STEEL

Offset handle design. Suitable for commercial applications
 32mm diameter tubular Stainless Steel
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSSLK60 (supplied separately see page 32)
 Size: 300mm centre to centre

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
98329SS (PAIR)	OFFSET D PULL HANDLE (300MM)	1	EA	1



D PULL HANDLE - BRUSHED STAINLESS STEEL

Offset handle design. Suitable for commercial applications
 32mm diameter tubular Stainless Steel
 Suitable for timber, glass and aluminium doors
 Through door fixing. Fixings supplied
 Roller latch set, use 729SS (supplied separately see page 32)
 Lock set use 716SSSLK60 (supplied separately see page 32)
 Size: 500mm centre to centre

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
98330SS (PAIR)	D PULL HANDLE 500MM	1	EA	1



HOW TO DETERMINE DOOR HANDING

Determining handing when ordering door hardware is different to how you determine door handing for carpentry (ordering and hanging doors). The reason being that when ordering hardware it matters which side the lock is on - where for carpentry it does not. If you follow the standard carpentry rules for handing, instead of following the diagram below, there is a good chance you may end up with a lock that is backwards. Please refer to the diagram below and if you have any questions, please give us a call.



Stand on the secure side of the door (where you would insert your key). For pairs, determine the hand of the active leaf. The active leaf is typically the door with the lockset. Both leaves may be active.

Follow These Steps:

- 1** Stand facing the door on the outside - If it's a locking door, stand on the side of the door where you would insert a key (or unlocking tool if it would be a privacy lock). For interior doors you would stand on the side of the door you enter from - i.e. in the hall if a hall closet, in the bedroom if a door opens to a bath, in the kitchen if a door opens to the pantry.
- 2** If the hinges are on the left, it's a right hand door. If the hinges are on the right, it's a left hand door.

DOOR HANDLES - COASTAL

KURA LEVER HANDLE - BRUSHED STAINLESS STEEL 304

Solid stainless steel handle. Suits door thickness 32mm-50mm.
 Concealed fixings supplied. Screw on cover plate.
 Latch set, use 415SS60 (supplied separately)
 Privacy set use 635SSBP (supplied separately)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
690SS	KURA LEVER PASSAGE HANDLES	1	EA	5
690SSDL	KURA LEFT HAND DUMMY LEVER	1	EA	5
690SSDR	KURA RIGHT HAND DUMMY LEVER	1	EA	5



NILE LEVER HANDLE - BRUSHED STAINLESS STEEL 304

Solid stainless steel handle. Suits door thickness 32mm-50mm.
 Concealed fixings supplied. Screw on cover plate.
 Latch set, use 415SS60 (supplied separately)
 Privacy set use 635SSBP (supplied separately)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
691SS	NILE LEVER PASSAGE HANDLES	1	EA	5
691SSDL	NILE LEFT HAND DUMMY LEVER	1	EA	5
691SSDR	NILE RIGHT HAND DUMMY LEVER	1	EA	5



LENA LEVER HANDLE - BRUSHED STAINLESS STEEL 304

Solid stainless steel handle. Suits door thickness 32mm-50mm.
 Concealed fixings supplied. Screw on cover plate.
 Latch set, use 415SS60 (supplied separately)
 Privacy set use 635SSBP (supplied separately)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
692SS	LENA LEVER PASSAGE HANDLES	1	EA	5
692SSDL	LENA LEFT HAND DUMMY LEVER	1	EA	5
692SSDR	LENA RIGHT HAND DUMMY LEVER	1	EA	5



TIBER LEVER HANDLE - BRUSHED STAINLESS STEEL 304

Solid stainless steel handle. Suits door thickness 32mm-50mm.
 Concealed fixings supplied. Screw on cover plate.
 Latch set, use 415SS60 (supplied separately)
 Privacy set use 635SSBP (supplied separately)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
693SS	TIBER LEVER PASSAGE HANDLES	1	EA	5
693SSDL	TIBER LEFT HAND DUMMY LEVER	1	EA	5
693SSDR	TIBER RIGHT HAND DUMMY LEVER	1	EA	5



DOOR HANDLES - COASTAL/ SELIM

ISIS LEVER HANDLE - BRUSHED STAINLESS STEEL 304

Solid stainless steel handle. Suits door thickness 32mm-50mm.
 Concealed fixings supplied. Screw on cover plate.
 Latch set, use 415SS60 (supplied separately)
 Privacy set use 635SSBP (supplied separately)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
695SS	ISIS LEVER PASSAGE HANDLES	1	EA	5
695SSDL	ISIS LEFT HAND DUMMY LEVER	1	EA	5
695SSDR	ISIS RIGHT HAND DUMMY LEVER	1	EA	5



MARIANA LEVER HANDLE - BRUSHED STAINLESS STEEL 304

Solid stainless steel handle. Suits door thickness 32mm-50mm.
 Concealed fixings supplied.
 Latch set, use 415SS60 (supplied separately)
 Privacy set use 635SSBP (supplied separately)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
696SSL	MARIANA LEVER (LEFT HAND)	1	EA	5
696SSR	M ARIANA LEVER (RIGHT HAND)	1	EA	5
696SSDL	MARIANA L/HAND DUMMY LEVER	1	EA	5
696SSDR	MARIANA R/HAND DUMMY LEVER	1	EA	5



ARAL LEVER HANDLE - BRUSHED STAINLESS STEEL 304

Solid stainless steel handle. Suits door thickness 32mm-50mm.
 Concealed fixings supplied.
 Latch set, use 415SS60 (supplied separately)
 Privacy set use 635SSBP (supplied separately)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
697SSL	ARAL LEVER (LEFT HAND)	1	EA	5
697SSR	ARAL LEVER (RIGHT HAND)	1	EA	5
697SSDL	ARAL LEFT HAND DUMMY LEVER	1	EA	5
697SSDR	ARAL RIGHT HAND DUMMY LEVER	1	EA	5



SELIM DOOR LATCH

Fixings supplied.
 Zinc diecast.
 Size: Plate 110mm.
 Spindle diameter 7.6mm

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
280CPLH	SELIM DOOR LATCH CHROME	1	EA	5
280SCLH	SELIM DOOR LATCH S/CHROME	1	EA	5



DOOR HANDLES - SELIM/ PRO SERIES

SELIM DOOR SNIB

Fixings supplied.
Zinc diecast.
Size: Plate 110mm.
Spindle diameter 7.6mm

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
280CPS	SELIM DOOR SNIB CHROME	1	EA	5
280SCS	SELIM DOOR SNIB S/CHROME	1	EA	5



SELIM DOOR LOCK

Fixings supplied.
Zinc diecast.
Size: Plate 145mm.
Spindle diameter 7.6mm

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
280CPLK	SELIM DOOR LOCK CHROME	1	EA	5
280SCLK	SELIM DOOR LOCK S/CHROME	1	EA	5



CIRQUE ENTRANCE SET - BRUSHED STAINLESS STEEL

Concealed fixing. Fixings supplied.
Supplied with two latches, 60 or 70mm backset.
To fit 54mm hole.

Size: Base 65mm, Knob 50mm

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
870SS	CIRQUE ENTRANCE SET S/S	1	EA	6



CIRQUE PRIVACY SET - BRUSHED STAINLESS STEEL

Concealed fixing. Fixings supplied.
Ideal for bed and bathroom.
Supplied with two latches, 60 or 70mm backset.
To fit 54mm hole.

Size: Base 65mm, Knob 50mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
871SS	CIRQUE PRIVACY SET S/S	1	EA	6



CIRQUE PASSAGE SET - BRUSHED STAINLESS STEEL

Concealed fixing. Fixings supplied.
Supplied with two latches, 60 or 70mm backset.
To fit 54mm hole.

Size: Base 65mm, Knob 50mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
872SS	CIRQUE PASSAGE SET S/S	1	EA	6



DOOR HANDLES

DOOR HANDLES - PRO SERIES

CIRQUE DUMMY HANDLE - BRUSHED STAINLESS STEEL

Fixings supplied.

Size: Base 65mm, Knob 50mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
873SS	CIRQUE DUMMY HANDLE S/S	1	EA	6



NEVA ENTRANCE SET

Concealed fixing. Fixings supplied.
 Supplied with 60/70mm backset adjustable tubular latch.
 To fit 54mm hole. Left and right handed options.
 Satin Nickel finish. Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
534SNL	NEVA L/HAND ENTRANCE SET	1	EA	6
534SNR	NEVA R/HAND ENTRANCE SET	1	EA	6



NEVA PRIVACY SET

Concealed fixing. Fixings supplied.
 Supplied with 60/70mm backset adjustable tubular latch.
 To fit 54mm hole. Left and right handed options.
 Satin Nickel finish. Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
531SNL	NEVA L/HAND PRIVACY SET	1	EA	6
531SNR	NEVA R/HAND PRIVACY SET	1	EA	6



NEVA PASSAGE SET

Concealed fixing. Fixings supplied.
 Supplied with 60/70mm backset adjustable tubular latch.
 To fit 54mm hole. Left and right handed options.
 Satin Nickel finish. Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
532SN	NEVA L/HAND PASSAGE SET	1	EA	6



NEVA DUMMY HANDLE

Concealed fixing. Fixings supplied.

Satin Nickel finish. Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
533SNL	NEVA L/HAND DUMMY HANDLE	1	EA	6
533SNR	NEVA R/HAND DUMMY HANDLE	1	EA	6



DOOR HANDLES - PRO SERIES

TURIN ENTRANCE SET

Concealed fixing. Fixings supplied.
 Supplied with 60/70mm backset adjustable tubular latch.
 To fit 54mm hole. Suits left and right hand applications.
 Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
878SN	TURIN ENTRANCE SET	1	EA	6



TURIN PRIVACY SET

Concealed fixing. Fixings supplied.
 Supplied with 60/70mm backset adjustable tubular latch.
 To fit 54mm hole. Suits left and right hand applications.
 Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
879SN	TURIN PRIVACY SET	1	EA	6



TURIN PASSAGE SET

Concealed fixing. Fixings supplied.
 Supplied with 60/70mm backset adjustable tubular latch.
 To fit 54mm hole. Suits left and right hand applications.
 Satin Nickel finish. Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
880SN	TURIN PASSAGE SET	1	EA	6



TURIN DUMMY HANDLE

Concealed fixing. Fixings supplied.
 Left and right handed.
 Satin Nickel finish.
 Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
881SN	TURIN DUMMY HANDLE	1	EA	6



DOOR HANDLES - PRO SERIES

TRENTO ENTRANCE SET

Concealed fixing. Fixings supplied.
 Supplied with 60/70mm backset adjustable tubular latch.
 To fit 54mm hole. Left and right handed.
 Satin Nickel finish. Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
6101SN	TRENTO ENTRANCE SET	1	EA	6



TRENTO PRIVACY SET

Concealed fixing. Fixings supplied.
 Supplied with 60/70mm backset adjustable tubular latch.
 To fit 54mm hole. Suits left and right hand applications.
 Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
6102SN	TRENTO PRIVACY SET	1	EA	6



TRENTO PASSAGE SET

Concealed fixing. Fixings supplied.
 Supplied with 60/70mm backset adjustable tubular latch.
 To fit 54mm hole. Suits left and right hand applications
 Satin Nickel finish. Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
6103SN	TRENTO PASSAGE SET	1	EA	6



TRENTO DUMMY HANDLE

Concealed fixing. Fixings supplied.
 Left and right handed.
 Satin Nickel finish.
 Size: Base 65mm.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
6104SN	TRENTO DUMMY HANDLE	1	EA	6



DOOR HANDLES - URBAN SERIES

URBAN SERIES WING LEVER HANDLES

Zinc Alloy construction. 55mm screw on rose to conceal included fixings.
 Passage set requires: 9860SN latch.
 Privacy set requires: 9860SN latch, 9801SS privacy bolt, 987009SN release & 987007SN privacy turn.
 Entrance set requires: 716SS60 mortise lock, 717SN65KA5 cylinder & turn, & 2 x 987010SN escutcheons.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
6401SN	WING PASSAGE SET	1	EA	1
6403LHSN	WING L/HAND DUMMY HANDLE	1	EA	1
6403RHSN	WING R/HAND DUMMY HANDLE	1	EA	1
6404SN	WING ENTRANCE COMBO SET	1	EA	1
6405SN	WING PRIVACY COMBO SET	1	EA	1



URBAN SERIES STRATOS LEVER HANDLES

Zinc Alloy construction. 55mm screw on rose to conceal included fixings.
 Passage set requires: 9860SN latch.
 Privacy set requires: 9860SN latch, 9801SS privacy bolt, 987009SN release & 987007SN privacy turn.
 Entrance set requires: 716SS60 mortise lock, 717SN65KA5 cylinder & turn, & 2 x 987010SN escutcheons.

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
6501SN	STRATOS PASSAGE SET	1	EA	1
6503LHSN	STRATOS L/HAND DUMMY HANDLE	1	EA	1
6503RHSN	STRATOS R/HAND DUMMY HANDLE	1	EA	1
6504SN	STRATOS ENTRANCE COMBO SET	1	EA	1
6505SN	STRATOS PRIVACY COMBO SET	1	EA	1



URBAN SERIES BELLEVUE LEVER HANDLE

Solid casting Zinc Alloy handles. Square & round covers included.
 To fit 19-22mm hole. Suits left and right hand applications.
 Satin Nickel finish. Base sizes: 52mm diameter.
Passage set includes: Handles with interchangeable covers, 60mm latch with D shape striker plate and fixing screws.
Privacy set includes: Turn unit with interchangeable covers and 60mm bolt with fixing screws. (Privacy options pictured below handles)
Dummy handle includes: Single handle with interchangeable covers, Taylor spindle and fixing screws.
Combo set includes: Passage handle set, 60mm latch with D shape striker plate, fixings screws and Euro key lock unit (Round cover only)

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
6201SN	BELLEVUE PASSAGE SET	1	EA	6
6203SN	BELLEVUE DUMMY HANDLE ONLY	1	EA	6
6204SN	BELLEVUE ENTRANCE COMBO SET	1	EA	6
6205SN	BELLEVUE PRIVACY COMBO SET	1	EA	6



DOOR HANDLES - URBAN SERIES

URBAN SERIES TECOMO LEVER HANDLE

Solid casting Zinc Alloy handles. Square & round covers included.

To fit 19-22mm hole. Suits left and right hand applications.

Satin Nickel finish. Base sizes: 52mm diameter.

Passage set includes: Handles with interchangeable covers, 60mm latch with D shape striker plate and fixing screws.

Privacy set includes: Turn unit with interchangeable covers and 60mm bolt with fixing screws.

Dummy handle includes: Single handle with interchangeable covers, taylor spindle and fixing screws. . (Privacy options pictured below handles)

Combo set includes: Passage handle set, 60mm latch with D shape striker plate, fixings screws and Euro key lock unit (Round cover only).



PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
6301SN	TECOMO PASSAGE SET	1	EA	6
6303SN	TECOMO DUMMY HANDLE ONLY	1	EA	6
6304SN	TECOMO ENTRANCE COMBO SET	1	EA	6
6305SN	TECOMO PRIVACY COMBO SET	1	EA	6

URBAN SERIES PRIVACY SET

Privacy set includes: Turn unit with interchangeable covers and 60mm bolt with fixing screws

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
6202SN	PRIVACY SET	1	EA	6



URBAN SERIES EURO KEY LOCK

Matching C4 keyed lock unit.

Concealed fixings

PRODUCT CODE	DESCRIPTION	QTY	PER	PCK
6205EULBOX	EURO KEY LOCK ROUND	1	EA	1
6206EULBOX	EURO KEY LOCK SQUARE	1	EA	1

